

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: SafeWork Australia Approved Code of Practice about the preparation of safety data sheets for hazardous chemicals (July 2018), which is an approved code of practice under section 274 of the Work Health and Safety Act

Issuing Date 15-Apr-2021 Revision Date 15-Apr-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name FILTER OIL: 12.25 OZ AEROSOL SPRAY

Product Code(s) 99-0516

Other means of identification

Proper shipping name AEROSOLS

UN number UN1950

Recommended use of the chemical and restrictions on use

Recommended use Air filter moisturization

Uses advised against No information available

Details of manufacturer or importer

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency telephone number CHEMTREC (Australia): +61-290372994

SECTION 2: Hazards identification

GHS Classification

Aerosols	Category 1 - (H222)
Gases under pressure	Compressed gas - (H280)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)

Label elements

Gas cylinder Flame Exclamation mark

Revision Date: 15-Apr-2021



Signal word

Danger

Hazard statements

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

Other hazards which do not result in classification

May be harmful if swallowed. Harmful to aquatic life.

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	74.41
Sodium metasilicate	6834-92-0	1.25
Sodium nitrite	7632-00-0	0.75
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Centre, Australia: 13 11 26

Inhalation Get medical attention immediately if symptoms occur. Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

Revision Date: 15-Apr-2021

persists.

Skin contact In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off

immediately with soap and plenty of water for at least 15 minutes. Get medical attention if

irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctorsTreat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. Thermal

decomposition can lead to release of irritating gases and vapours.

accomposition can read to revealed or initialing gazers and response

Hazardous combustion products Oxides of sulphur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic

compounds.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. See section 8 for more information. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Extremely slippery when spilled.

FILTER OIL; 12.25 OZ AEROSOL SPRAY

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent product from entering **Environmental precautions**

drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce

vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches

Revision Date: 15-Apr-2021

and waterways. Flood with water to complete polymerization and scrape off floor.

Take precautionary measures against static discharges. Take up with sand or other Methods for cleaning up

noncombustible absorbent material and place into containers for later disposal.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. In case of rupture. Avoid breathing vapours or mists. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric **Storage Conditions**

motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from

sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidising agents.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Revision Date: 15-Apr-2021

Appropriate engineering controls

Showers **Engineering controls**

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Chemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective

clothing.

Impervious gloves. Wear suitable gloves. Hand protection

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Oily liquid **Physical state** Aerosol Colour Red Odour Odourless

Odour threshold No information available

No data available Melting point / freezing point No data available

Initial boiling point and boiling > 260 °C

range

Flash point > -94 °C

Evaporation rate No data available

Flammability Extremely flammable aerosol

Flammability Limit in Air

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

Vapour pressure No data available Vapour density No data available

Relative density 0.864

Water solubility No data available Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available

Kinematic viscosity

7.5 mm²/s **Dynamic viscosity**

No data available **Explosive properties** No information available.

Oxidising properties No information available.

Other information

No information available Softening point No information available Molecular weight **VOC Content (%)** No information available

Liquid DensityNo information availableBulk densityNo information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity None under normal use conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible materials Strong oxidising agents.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Intentional misuse by

deliberately concentrating and inhaling contents may be harmful or fatal. May cause

irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. May be harmful if swallowed.

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

Numerical measures of toxicity

·

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Sodium nitrite	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The classification listed below for the lubricating oils in this product pertains to those that

contain more than 3% DMSO extract as measured by IP 346. The lubricating oils in this

product do not meet that criteria to be classified as carcinogens.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	The land to the management and the agency many many may	i cancin ale el cancin gen
	Chemical name	Australia
I	Lubricating oils, petroleum, hydrotreated spent - 64742-58-1	Carc. 1B

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio rerio)	-	-
Sodium nitrite	-	LC50: =0.19mg/L (96h, Oncorhynchus mykiss) LC50: 0.092 - 0.13mg/L (96h, Oncorhynchus mykiss) LC50: 0.4 - 0.6mg/L (96h, Oncorhynchus mykiss) LC50: 0.65 - 1mg/L (96h, Oncorhynchus mykiss) LC50: =2.3mg/L (96h, Pimephales promelas) LC50: =20mg/L (96h, Pimephales promelas)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Sodium nitrite	-3.7

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

ADG

UN number UN1950
Proper shipping name AEROSOLS

Hazard class 2.1

 Special Provisions
 63, 190, 277, 327, 344, 381

 Description
 UN1950, AEROSOLS, 2.1

IATA

UN number or ID number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1 ERG Code 10L

Special Provisions A145, A167, A802

Description UN1950, Aerosols, flammable, 2.1

IMDG

UN number or ID number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es) 2.1 EmS-No F-D, S-U

 Special Provisions
 63,190, 277, 327, 344, 381, 959

 Description
 UN1950, AEROSOLS, 2.1

Revision Date: 15-Apr-2021

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Major hazard (accident/incident planning) regulation

Verify that licence requirements are met

Hazardous chemical Threshold quantity (T)

Compressed or liquefied gases of Division 2.1 or Subsidiary Risk 200

2.1

Liquids with flash points <61°C kept above their boiling points at

ambient conditions

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Issuing Date 15-Apr-2021

Revision Date 15-Apr-2021

Revision Note Initial Release.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

FILTER OIL; 12.25 OZ AEROSOL SPRAY

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet