

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017. This notice is issued by the Environmental Protection Authority under sections 75 and 76(1)(b), (f), (g) and (h) of the Hazardous Substances and New Organisms Act 1996

SPRAY

Issuing Date 15-Apr-2021

Revision Date 15-Apr-2021

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| Product identifier | | |
|---|------------------------------|--|
| Product Name | FILTER OIL; 12.25 OZ AEROSOL | |
| Product Code(s) | 99-0516 | |
| Other means of identification | | |
| Proper shipping name | AEROSOLS | |
| UN number | UN1950 | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Air filter moisturization | |
| Uses advised against | No information available | |
| Details of the supplier of the safety data sheet | | |

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

For further information, please contact

Contact Point

Product Safety Department

Emergency telephone number

Emergency telephone

CHEMTREC (New Zealand): 64-98010034

SECTION 2: Hazards identification

GHS Classification

| Aerosols | Category 1 (HSNO - 2.1.2A) |
|-----------------------------------|----------------------------|
| Gases under pressure | Compressed gas (HSNO - |
| | Compressed gases) |
| Acute toxicity - Oral | Category 5 (HSNO - 6.1E) |
| Skin corrosion/irritation | Category 2 (HSNO - 6.3A) |
| Serious eye damage/eye irritation | Category 2A (HSNO - 6.4A) |
| Acute aquatic toxicity | Category 3 (HSNO - 9.1D) |

Label elements



Signal word Danger

Hazard statements

H303 - May be harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H402 - Harmful to aquatic life

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid release to the environment Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source **Precautionary Statements - Response** Call a POISON CENTER or doctor/physician if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eve irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse **Precautionary Statements - Storage** Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

SECTION 3: Composition/information on ingredients

| Chemical name | CAS No | Weight-% |
|---|-------------|----------|
| Lubricating oils, petroleum, hydrotreated spent | 64742-58-1 | 74.41 |
| Sodium metasilicate | 6834-92-0 | 1.25 |
| Sodium nitrite | 7632-00-0 | 0.75 |
| Non-hazardous ingredients | Proprietary | Balance |

SECTION 4: First aid measures

Description of first aid measures

| General advice | Show this safety data sheet to the doctor in attendance |
|----------------|---|
| Inhalation | Get medical attention immediately if symptoms occur. Remove to fresh air. |

| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. | |
|---|--|--|
| Skin contact | In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists. | |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor. | |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). | |
| Symptoms | May cause redness and tearing of the eyes. Burning sensation. | |
| Indication of any immediate medica | al attention and special treatment needed | |
| Note to doctors | Treat symptomatically. | |
| SECTION 5: Firefighting m | easures | |
| Suitable Extinguishing Media | | |
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO2). Water spray. | |
| Unsuitable extinguishing media | DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. | |
| Specific hazards arising from the c | hemical | |
| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. Thermal decomposition can lead to release of irritating gases and vapours. | |
| Hazardous combustion products | Oxides of sulphur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic compounds. | |
| Special protective actions for fire-fi | ghters | |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | |
| SECTION 6: Accidental rel | ease measures | |
| Personal precautions, protective equipment and emergency procedures | | |
| Personal precautions | Evacuate personnel to safe areas. See section 8 for more information. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Extremely slippery when spilled. | |

| For emergency responders | Use personal protection recommended in Section 8. |
|--------------------------|---|
|--------------------------|---|

Environmental precautions

| Environmental precautions | Refer to protective measures listed in Sections 7 and 8. Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. | |
|--|--|--|
| Methods and material for containme | ent and cleaning up | |
| Methods for containment | Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor. | |
| Methods for cleaning up | Take precautionary measures against static discharges. Take up with sand or other noncombustible absorbent material and place into containers for later disposal. | |
| Precautions to prevent secondary hazards | | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | |

SECTION 7: Handling and storage

Precautions for safe handling

| Advice on safe handling | Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. In case of rupture. Avoid breathing vapours or mists. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. |
|--|--|
| General hygiene considerations | Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. |
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. |

Incompatible materials Strong oxidising agents.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits Not applicable.

Appropriate engineering controls

| Engineering controls | Showers Eyewash stations Ventilation systems. |
|--------------------------------------|--|
| Individual protection measures, such | ch as personal protective equipment |
| Eye/face protection | Tight sealing safety goggles. |
| Hand protection | Impervious gloves. Wear suitable gloves. |
| Skin and body protection | Chemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective clothing. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| Environmental exposure controls | No information available. |

SECTION 9: Physical and chemical properties

| Information on basic physical and of Appearance Physical state Colour Odour Odour threshold | <u>chemical properties</u> Oily liquid Aerosol Red Odourless No information available | |
|--|--|---|
| <u>Values</u> pH Melting point / freezing point Initial boiling point and boiling range | > 260 °C | Remarks • Method No data available No data available |
| Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive limits | > -94 °C | No data available Extremely flammable aerosol No data available |
| Lower flammability or explosive limits Vapour pressure Vapour density Relative density | 0.864 | No data available No data available No data available |
| Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity | 7.5 mm²/s | No data available No data available No data available No data available No data available |
| Dynamic viscosity Explosive properties Oxidising properties Other information | No information available. No information available. | No data available |
| Softening point Molecular weight VOC Content (%) Liquid Density | No information available No information available No information available No information available | |

Bulk density

No information available

SECTION 10: Stability and reactivity

| Reactivity | |
|------------------------------------|---|
| Reactivity | None under normal use conditions. |
| Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data | |
| Sensitivity to mechanical impact | Yes. |
| Sensitivity to static discharge | Yes. |
| Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | |
| Conditions to avoid | Heat, flames and sparks. Extremes of temperature and direct sunlight. |
| Incompatible materials | |
| Incompatible materials | Strong oxidising agents. |
| Hazardous decomposition products | <u>5</u> |

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

| Inhalation | Specific test data for the substance or mixture is not available. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May cause irritation of respiratory tract. |
|--------------------------------|--|
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May be harmful if swallowed. |
| Symptoms | Redness. May cause redness and tearing of the eyes. |
| Acute toxicity | |
| Numerical measures of toxicity | |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|-----------------------|---------------------|
| Lubricating oils, petroleum, hydrotreated spent | > 2000 mg/kg (Rat) | > 4480 mg/kg (Rabbit) | - |
| Sodium metasilicate | = 1153 mg/kg (Rat) | - | - |
| Sodium nitrite | = 85 mg/kg (Rat) | - | = 5.5 mg/L (Rat)4 h |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Classification based on data available for ingredients. Irritating to skin. | | |
|--|--|--|--|
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Causes serious eye irritation. | | |
| Respiratory or skin sensitisation | No information available. | | |
| Germ cell mutagenicity | No information available. | | |
| Carcinogenicity | No information available. | | |
| Reproductive toxicity | No information available. | | |
| STOT - single exposure STOT - repeated exposure | No information available. No information available. | | |
| Aspiration hazard | No information available. | | |

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity

Harmful to aquatic life.

Aquatic ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---------------------|----------------------|----------------------------------|-----------|
| Sodium metasilicate | - | LC50: =210mg/L (96h, Brachydanio | - |
| | | rerio) | |
| Sodium nitrite | - | LC50: =0.19mg/L (96h, | - |
| | | Oncorhynchus mykiss) | |
| | | LC50: 0.092 - 0.13mg/L (96h, | |
| | | Oncorhynchus mykiss) | |
| | | LC50: 0.4 - 0.6mg/L (96h, | |
| | | Oncorhynchus mykiss) | |
| | | LC50: 0.65 - 1mg/L (96h, | |
| | | Oncorhynchus mykiss) | |
| | | LC50: =2.3mg/L (96h, Pimephales | |
| | | promelas) | |
| | | LC50: =20mg/L (96h, Pimephales | |
| | | promelas) | |

Terrestrial ecotoxicty

There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

| Chemical name | Partition coefficient | |
|----------------|-----------------------|--|
| Sodium nitrite | -3.7 | |

Mobility in soil

Mobility in soil

No information available.

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

| Waste from residues/unused products | Dispose of product in packaging in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. |
|--|---|
| Contaminated packaging | For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous substance (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the substance to be classified as hazardous (class 6, 8, or 9 substance). |

SECTION 14: Transport information

| <u>IATA</u> UN number or ID number | UN1950 |
|--|---|
| UN proper shipping name | Aerosols, flammable |
| Transport hazard class(es) | 2.1 |
| ERG Code | 10L |
| Special Provisions | A145, A167, A802 |
| Description | UN1950, Aerosols, flammable, 2.1 |
| IMDG UN number or ID number UN proper shipping name Transport hazard class(es) EmS-No Special Provisions Marine pollutant Description | UN1950 AEROSOLS 2.1 F-D, S-U 63,190, 277, 327, 344, 381, 959 NP UN1950, AEROSOLS, 2.1 |

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

| Chemical name | | New Zealand HSNO Chemical Classification | |
|--|---|--|--|
| Sodium metasilicate - 6834-92-0 | | 6.1D (All),6.1D (O),6.1E (I),8.1A,8.2C,8.3A,9.3C 6.1E (All),6.1E (I),8.2C,8.3A 8.2C,8.3A | |
| Sodium nitrite - 7632-00-0 | | 5.1.1C,6.1C (All),6.1C (O),6.4A,6.6B,6.9B (All),6.9B (O),9.1A (F),9.1A (All),9.1D (C),9.3B | |
| National regulations | There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances | | |
| Certified handlers, tracking and controlled substance license requirements | Certified handlers are required for some substances. This includes for substances requiring a controlled substance license, including Class 1 explosives, vertebrate toxic agents (9.3A, B, C), and certain fumigants. Class 6.1A and 6.1B substances such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information Controlled substance licenses are required to possess certain class 1 (explosive) and class 6 (vertebrate toxic agents or fumigants) substances. See Part 7 of the Health and Safety at Work Regulation 2017 for more information | | |
| EPA New Zealand HSNO approval code or group standard | Not applicable | | |

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

| SECTION 16: Other information | | | |
|---|------------------|--|--|
| Issuing Date | 15-Apr-2021 | | |
| Revision Date | 15-Apr-2021 | | |
| Revision Note | Initial Release. | | |
| Key or legend to abbreviations and acronyms used in the safety ofLegendSection 8: EXPOSURE CONTROLS/PERSONAL PROTECTTWATWA (time-weighted average)STECeilingMaximum limit value*CCarcinogen | | | STEL (Short Term Exposure Limit) Skin designation |
| Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) | | | |

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet