

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: NOM-018-STPS-2015

Issuing Date 10-Feb-2021 Revision Date 10-Feb-2021 Revision Number 1

# 1. Identification

**Product identifier** 

Product Name POWER KLEEN; FILTER CLEANER; 5 GALLON

Other means of identification

Product Code(s) 99-0640

Recommended use of the chemical and restrictions on use

Recommended use Cleaning agent for car air filter

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

Emergency telephone number

Emergency telephone CHEMTREC (México): 01-800-681-9531

# 2. Hazard(s) identification

# Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1 - (H318)

# Label elements

# Danger

#### **Hazard statements**

H314 - Causes severe skin burns and eye damage



### **Precautionary Statements - Prevention**

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

P310 - Immediately call a POISON CENTER or doctor

#### Eyes

P310 - Immediately call a POISON CENTER or doctor

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Skin

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] P363 - Wash contaminated clothing before reuse

#### Inhalation

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

#### Ingestion

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

# **Precautionary Statements - Storage**

P405 - Store locked up

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal receptacle

#### Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

# 3. Composition/information on ingredients

# **Substance**

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%
Sodium metasilicate	6834-92-0	5 - <10
Tetrasodium EDTA	64-02-8	3 - <5

# 4. First-aid measures

# **Description of first aid measures**

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** If breathing has stopped, give artificial respiration. Get medical attention immediately. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

\_\_\_\_\_

respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to

fresh air.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

**Ingestion** Get immediate medical advice/attention. Clean mouth with water and drink afterwards

plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Wear

personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media** None known based on information supplied.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective actions for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or

clothing. Use personal protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent

product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. Handling and storage

# Precautions for safe handling

Advice on safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only

in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

this product.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Store away from other materials. Keep containers tightly closed in a

dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

# 8. Exposure controls/personal protection

Control parameters

**Exposure Limits**This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

# **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Face protection shield. Tight sealing safety goggles.

**Hand protection** Impervious gloves. Wear suitable gloves.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** Should not be released into the environment.

**General hygiene considerations** Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Pink, Clear liquid

Physical state Liquid Color Pink

**Odor** Characteristic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH> 12None knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density 1.06 None known Miscible in water None known Water solubility Solubility(ies) No data available None known **Partition coefficient** No data available None known No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known

No data available

Dynamic viscosity

Other information

Explosive properties
Oxidizing properties
No information available.
No information available.
No information available.
No information available

# 10. Stability and reactivity

**Reactivity** None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** Exposure to air or moisture over prolonged periods. Incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

None known

# 11. Toxicological information

Information on likely routes of exposure

Revision Date: 10-Feb-2021

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Corrosive to the eyes and

may cause severe damage including blindness. (based on components). Causes serious

eye damage. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness.

Acute toxicity

**Numerical measures of toxicity** 

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	•
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. Ecological information

**Ecotoxicity** 

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium metasilicate	=	LC50: =210mg/L (96h,	-	-
6834-92-0		Brachydanio rerio)		
Tetrasodium EDTA	EC50: =1.01mg/L	LC50: =41mg/L (96h,	-	-
64-02-8	(72h, Desmodesmus	Lepomis macrochirus)		
	subspicatus)	LC50: =59.8mg/L (96h,		
		Pimephales promelas)		

No information available. Persistence and degradability

**Bioaccumulation** No information available.

Mobility in soil No information available.

Other adverse effects No information available.

# 13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

# 14. Transport information

**MEX** 

UN/ID no UN1760

CORROSIVE LIQUID, N.O.S. Proper shipping name

Transport hazard class(es) **Special Provisions** 274 Packing group Ш

Description UN1760, CORROSIVE LIQUID, N.O.S. (Sodium metasilicate), 8, II

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

No information available

IATA

**UN** number or ID number UN1760

**UN** proper shipping name Corrosive liquid, n.o.s.

Transport hazard class(es) Packing group Ш **ERG Code** 8L **Special Provisions** A3. A803

Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate), 8, II

IMDG

**UN** number or ID number UN1760

**UN proper shipping name** CORROSIVE LIQUID, N.O.S.

Transport hazard class(es)

**POWER KLEEN; FILTER CLEANER; 5 GALLON** 

Packing group II EmS-No F-A, S-B Special Provisions 274

Description UN1760, CORROSIVE LIQUID, N.O.S. (Sodium metasilicate), 8, II

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

### The Montreal Protocol on Substances that Deplete the Ozone Layer

Not applicable

#### The Stockholm Convention on Persistent Organic Pollutants

Not applicable

#### The Rotterdam Convention

Not applicable

# **International Inventories**

**TSCA** Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AICS** 

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 16. Other information

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and chemical

properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

# Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

#### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Revision Date: 10-Feb-2021

**POWER KLEEN; FILTER CLEANER; 5 GALLON** 

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Issuing Date 10-Feb-2021

Revision Date 10-Feb-2021

Revision Note Initial Release.

#### NOM-018-STPS-2015

The information is believed to be accurate, but it is not exhaustive and must be used only as guidance. It is based on the current state of knowledge of the chemical substance or mixture and is applicable to the appropriate safety precautions for the product.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Revision Date: 10-Feb-2021