

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: NOM-018-STPS-2015

Issuing Date 14-Oct-2022 Revision Date 14-Oct-2022 Revision Number 1

1. Identification

Product identifier

Product Name DIESEL POWER BOOST; 12OZ

Other means of identification

Product Code(s) 99-2030

UN/ID no UN3082

Recommended use of the chemical and restrictions on use

Recommended use Diesel additive

Restrictions on use Use only as directed on product label

Details of the supplier of the safety data sheet

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

Emergency telephone number

Emergency telephone CHEMTREC (México): 01-800-681-9531

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Carcinogenicity	Category 1B - (H350)
Aspiration hazard	Category 1 - (H304)
Flammable liquids	Category 4 - (H227)

Label elements

Danger

Hazard statements

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H350 - May cause cancer

H227 - Combustible liquid



Exclamation mark Health hazard

Precautionary Statements - Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P321 - Specific treatment (see .? on this label)

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P312 - Call a POISON CENTER or doctor if you feel unwell

P362 + P364 - Take off contaminated clothing and wash it before reuse

Inhalation

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

Ingestion

P330 - Rinse mouth

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

Fire

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P405 - Store locked up

P403 - Store in a well-ventilated place

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
	·	

Revision Date: 14-Oct-2022

2-ethylhexyl nitrate	27247-96-7	30 - 50
Petroleum distillates, hydrotreated light	64742-47-8	20 - 40
Naphtha (petroleum), heavy aromatic	64742-94-5	0 - 5
Naphthalene	91-20-3	0 - 1

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention. Immediate medical attention is required.

Inhalation Get medical attention if symptoms occur. Aspiration into lungs can produce severe lung

> damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep Eye contact

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

> person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Get immediate medical attention.

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) Self-protection of the first aider

involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid breathing vapors or mists. See section 8

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

for more information.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Coughing and/ or wheezing. Dizziness. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. Fire-fighting measures

Dry chemical. Carbon dioxide (CO2). Foam. **Suitable Extinguishing Media**

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the Keep product and empty container away from heat and sources of ignition. In the event of

fire, cool tanks with water spray. chemical

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective actions for

fire-fighters Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure

Revision Date: 14-Oct-2022

adequate ventilation. Avoid breathing vapors or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot

surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in

accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not

eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of

children. Store locked up. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits NOM-010-STPS-2014.

Chemical name	Exposure Limits
Naphthalene	*
91-20-3	Mexico: TWA 10 ppm
	Mexico: STEL 15 ppm

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations

Ventilation systems.

Individual protection measures, such as personal protective equipment

Tight sealing safety goggles. Eye/face protection

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing must not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

No data available

No data available

No data available

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid

Colorless to pale yellow Color

Sweet, Pleasant, Mild, Alcohol, or, Stuffy Odor

Odor threshold No information available

Property Remarks • Method <u>Values</u>

No data available pН

-40 °C / -40 °F Melting point / freezing point

Initial boiling point and boiling range No data available

Flash point 77 °C / 170.6 °F

Evaporation rate No data available **Flammability** No data available

Flammability Limit in Air

Upper flammability or explosive 5.5

limits

Lower flammability or explosive 0.6

limits

0.035 Vapor pressure Vapor density 4.5 Relative density 0.86 Water solubility < 0.1%

Solubility in other solvents

Partition coefficient **Autoignition temperature** 100 °C / 212 °F

Decomposition temperature

Kinematic viscosity 4 mm²/s

Dynamic viscosity No data available

Other information

Explosive properties No information available.

Revision Date: 14-Oct-2022

DIESEL POWER BOOST; 12OZ

Revision Date: 14-Oct-2022

Oxidizing propertiesNo information available.Softening pointNo information availableMolecular weightNo information available

VOC content 100

Liquid DensityNo information availableBulk densityNo information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).

Eye contact Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact Specific test data for the substance or mixture is not available. Harmful in contact with skin.

(based on components). Repeated exposure may cause skin dryness or cracking. May be

absorbed through the skin in harmful amounts.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 987.20 mg/kg
ATEmix (dermal) 1,498.50 mg/kg
ATEmix (inhalation-dust/mist) 3.0000 mg/l

Unknown acute toxicity

6.501 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-ethylhexyl nitrate	> 9600 mg/kg (Rat)	> 4800 mg/kg (Rabbit)	> 14 mg/L (Rat)4 h

27247-96-7			
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
Naphtha (petroleum), heavy aromatic 64742-94-5	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 590 mg/m³(Rat)4 h
Naphthalene 91-20-3	= 1110 mg/kg(Rat)	= 1120 mg/kg(Rabbit)	> 0.4 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Interactive effects No information available.

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	Mexico
2-ethylhexyl nitrate 27247-96-7	-	Group 2A	-	-
Naphthalene 91-20-3	А3	Group 2B	Reasonably Anticipated	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard May be fatal if swallowed and enters airways.

Other information No information available.

12. Ecological information

EcotoxicityToxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
2-ethylhexyl nitrate	-	LC50: =2mg/L (96h,	-	-
27247-96-7		Danio rerio)		
Petroleum distillates,	-	LC50: =45mg/L (96h,	-	-
hydrotreated light		Pimephales promelas)		
64742-47-8		LC50: =2.2mg/L (96h,		

Revision Date: 14-Oct-2022

	Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss)		
Naphtha (petroleum), heavy aromatic 64742-94-5	LC50: =19mg/L (96h, Pimephales promelas) LC50: =2.34mg/L (96h, Oncorhynchus mykiss) LC50: =1740mg/L (96h, Lepomis macrochirus) LC50: =45mg/L (96h, Pimephales promelas) LC50: =41mg/L (96h, Pimephales promelas)	-	EC50: =0.95mg/L (48h Daphnia magna)
Naphthalene 91-20-3	LC50: 5.74 - 6.44mg/L (96h, Pimephales promelas) LC50: =1.6mg/L (96h, Oncorhynchus mykiss) LC50: 0.91 - 2.82mg/L (96h, Oncorhynchus mykiss) LC50: =1.99mg/L (96h, Pimephales promelas) LC50: =31.0265mg/L (96h, Lepomis macrochirus)	-	LC50: =2.16mg/L (48h Daphnia magna) EC50: =1.96mg/L (48h Daphnia magna) EC50: 1.09 - 3.4mg/L (48h, Daphnia magna

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-ethylhexyl nitrate 27247-96-7	5.24
Naphtha (petroleum), heavy aromatic 64742-94-5	6.5
Naphthalene 91-20-3	3.4

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

MEX

UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

Special Provisions 274, 331, 335

Revision Date: 14-Oct-2022

DIESEL POWER BOOST; 120Z Revision Date: 14-Oct-2022

Packing group Ш

MEX Technical Name 2-ethylhexyl nitrate, Naphthalene

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-ethylhexyl nitrate, Naphthalene), 9, III

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

No information available

IATA

UN3082 **UN number or ID number**

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) **Packing group** Ш

IATA Technical Name 2-ethylhexyl nitrate, Naphthalene

Special Provisions A97, A158, A197

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (2-ethylhexyl nitrate,

Naphthalene), 9, III

ERG Code

IMDG

UN3082 **UN number or ID number**

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) Ш **Packing group**

IMDG Technical Name 2-ethylhexyl nitrate, Naphthalene

EmS-No F-A, S-F

274, 335, 969 **Special Provisions**

Marine pollutant

Marine pollutant 2-ethylhexyl nitrate, Naphthalene

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(2-ethylhexyl nitrate, Naphthalene), 9, III, Marine pollutant

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

16. Other information

NFPA Health hazards 2 Flammability 2 Instability 0 Special hazards -**HMIS** Health hazards 2 * Flammability 2 Physical hazards 0 Personal protection X

= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 14-Oct-2022

Revision Date 14-Oct-2022

Revision Note Initial Release.

NOM-018-STPS-2015

The information is believed to be accurate, but it is not exhaustive and must be used only as guidance. It is based on the current state of knowledge of the chemical substance or mixture and is applicable to the appropriate safety precautions for the product.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet