

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017. This notice is issued by the Environmental Protection Authority under sections 75 and 76(1)(b), (f), (g) and (h) of the Hazardous Substances and New Organisms Act 1996

Issuing Date 15-Apr-2021 Revision Date 15-Apr-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name FILTER OIL; 6.5 OZ AEROSOL SPRAY

Product Code(s) 99-0504 (individual); 99-5000 (kit)

Other means of identification

Proper shipping name AEROSOLS

UN number UN1950

Recommended use of the chemical and restrictions on use

Recommended use Air filter moisturization

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency telephone CHEMTREC (New Zealand): 64-98010034

SECTION 2: Hazards identification

GHS Classification

Aerosols	Category 1 (HSNO - 2.1.2A)
Gases under pressure	Compressed gas (HSNO -
·	Compressed gases)
Acute toxicity - Oral	Category 5 (HSNO - 6.1E)
Skin corrosion/irritation	Category 2 (HSNO - 6.3A)
Serious eye damage/eye irritation	Category 2A (HSNO - 6.4A)
Acute aquatic toxicity	Category 3 (HSNO - 9.1D)

Label elements



Signal word

Danger

Hazard statements

H303 - May be harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H402 - Harmful to aquatic life

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

No information available.

SECTION 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	74.41
Sodium metasilicate	6834-92-0	1.25
Sodium nitrite	7632-00-0	0.75
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance

Inhalation Get medical attention immediately if symptoms occur. Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

Revision Date: 15-Apr-2021

persists.

Skin contact In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off

immediately with soap and plenty of water for at least 15 minutes. Get medical attention if

irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a doctor.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. Thermal

decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products

Oxides of sulphur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic

compounds.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. See section 8 for more information. Keep people away

from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Extremely

slippery when spilled.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent product from entering **Environmental precautions**

drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce

vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches

Revision Date: 15-Apr-2021

and waterways. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Take up with sand or other

noncombustible absorbent material and place into containers for later disposal.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open Advice on safe handling

flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. In case of rupture. Avoid breathing vapours or mists. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric **Storage Conditions**

> motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidising agents.

SECTION 8: Exposure controls/personal protection

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Limits**

exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits Not applicable.

·

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protection Chemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Oily liquid
Physical state Aerosol
Colour Red
Odour Odourless

Odour threshold No information available

ValuesRemarks• MethodpHNo data available

Melting point / freezing point

No data available

No data available

Initial boiling point and boiling > 260 °C

range

Flash point > -94 °C

Evaporation rate No data available

Flammability Extremely flammable aerosol

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableVapour densityNo data available

Relative density 0.864

Water solubility
Solubility(ies)
No data available
Partition coefficient
No data available
Autoignition temperature
No data available
Decomposition temperature
No data available

Kinematic viscosity 7.5 mm²/s

Dynamic viscosity

No data available

Explosive propertiesNo information available. **Oxidising properties**No information available.

Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density

No information available
No information available
No information available
No information available

Revision Date: 15-Apr-2021

Bulk density No information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity None under normal use conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible materials Strong oxidising agents.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Intentional misuse by

deliberately concentrating and inhaling contents may be harmful or fatal. May cause

irritation of respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. May be harmful if swallowed.

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

Revision Date: 15-Apr-2021

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Sodium nitrite	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

No information available. Carcinogenicity

Reproductive toxicity No information available.

No information available. STOT - single exposure STOT - repeated exposure No information available.

Aspiration hazard No information available.

SECTION 12: Ecological information

Ecotoxicity

Harmful to aquatic life. **Ecotoxicity**

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio	-
		rerio)	
Sodium nitrite	-	LC50: =0.19mg/L (96h,	-
		Oncorhynchus mykiss)	
		LC50: 0.092 - 0.13mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 0.4 - 0.6mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: 0.65 - 1mg/L (96h,	
		Oncorhynchus mykiss)	
		LC50: =2.3mg/L (96h, Pimephales	
		promelas)	
		LC50: =20mg/L (96h, Pimephales	
		promelas)	

There is no data for this product. **Terrestrial ecotoxicty**

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Sodium nitrite	-3.7

Mobility in soil

Mobility in soil No information available.

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of product in packaging in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste.

Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous substance (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the substance to be classified as hazardous (class 6, 8, or 9 substance).

SECTION 14: Transport information

ΙΑΤΑ

UN number or ID number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1 ERG Code 10L

Special Provisions A145, A167, A802

Description UN1950, Aerosols, flammable, 2.1

IMDG

UN number or ID number
UN proper shipping name
Transport hazard class(es)
UN 1950
AEROSOLS
2.1

EmS-No F-D. S-U

Special Provisions 63,190, 277, 327, 344, 381, 959

Marine pollutant

Description UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

Chemical name	New Zealand HSNO Chemical Classification
Sodium metasilicate - 6834-92-0	6.1D (All),6.1D (O),6.1E (I),8.1A,8.2C,8.3A,9.3C
	6.1E (AII),6.1E (I),8.2C,8.3A
	8.2C,8.3A
Sodium nitrite - 7632-00-0	5.1.1C,6.1C (All),6.1C (O),6.4A,6.6B,6.9B (All),6.9B (O),9.1A
	(F),9.1A (All),9.1D (C),9.3B

National regulations There are no applicable tolerable exposure limits or environmental exposure limits

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes for substances requiring a controlled substance license, including Class 1 explosives, vertebrate toxic agents (9.3A, B, C), and certain fumigants. Class 6.1A and 6.1B substances such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Revision Date: 15-Apr-2021

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check

the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain class 1 (explosive) and class 6 (vertebrate toxic agents or fumigants) substances. See Part 7 of the Health and Safety at

Work Regulation 2017 for more information

EPA New Zealand HSNO approval code or group standard

Not applicable

International Inventories

Contact supplier for inventory compliance status

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Issuing Date 15-Apr-2021

Revision Date 15-Apr-2021

Revision Note Initial Release.

Key or legend to abbreviations and acronyms used in the safety data sheetLegend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017. This notice is issued by the Environmental Protection Authority under sections 75 and 76(1)(b), (f), (g) and (h) of the Hazardous Substances and New Organisms Act 1996

Issuing Date 10-Feb-2021 Revision Date 10-Feb-2021 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name POWER KLEEN; FILTER CLEANER; 12 OZ PUMP SPRAY

Product Code(s) 99-0606 (individual); 99-5000 (kit)

Other means of identification

Proper shipping name CORROSIVE LIQUID, N.O.S. (Sodium metasilicate)

UN number UN1760

Recommended use of the chemical and restrictions on use

Recommended use Cleaning agent for car air filter

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency telephone CHEMTREC (New Zealand): 64-98010034

SECTION 2: Hazards identification

GHS Classification

Skin corrosion/irritation	Category 1 Sub-category B (HSNO - 8.2B)
Serious eye damage/eye irritation	Category 1 (HSNO - 8.3A)
Acute aquatic toxicity	Category 3 (HSNO - 9.1D)
Chronic aquatic toxicity	Category 3 (HSNO - 9.1C)

Label elements



Signal word Danger

Hazard statements

H314 - Causes severe skin burns and eye damage H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapours/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid release to the environment

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal receptacle

Other hazards which do not result in classification

No information available.

SECTION 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
Sodium metasilicate	6834-92-0	1-6
Tetrasodium EDTA	64-02-8	0.5-3
Non-hazardous ingredients	Proprietary	Balance

SECTION 4: First aid measures

Description of first aid measures

General advice Immediate medical attention is required

Show this safety data sheet to the doctor in attendance

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to

fresh air.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Revision Date: 10-Feb-2021

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Get immediate medical advice/attention. Clean mouth with water and drink afterwards

plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Wear

personal protective clothing (see section 8).

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to doctors Product is a corrosive material. Use of gastric lavage or emesis is contra-indicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may

occur with moist rales, frothy sputum, and high pulse pressure.

SECTION 5: Firefighting measures

Hazchem code 2X

Suitable Extinguishing Media

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or

clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent

product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled

containers. Clean contaminated surface thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only

in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

Revision Date: 10-Feb-2021

this product.

General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Store away from other materials. Keep containers tightly closed in a

dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible materials Strong oxidising agents.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits Not applicable.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield. Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protection Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Revision Date: 10-Feb-2021

Environmental exposure controls Should not be released into the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance Pink, Clear liquid

Physical state Liquid Colour Pink

Odour Characteristic

Odour threshold No information available

<u>Values</u> <u>Remarks • Method</u>

pH> 12None knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

 Flash point
 No data available
 None known

 Evaporation rate
 No data available
 None known

 Flammability
 No data available
 None known

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available None known Vapour density No data available None known Relative density None known Water solubility Miscible in water None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Explosive propertiesNo information available. **Oxidising properties**No information available.

Other information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableLiquid DensityNo information availableBulk densityNo information available

SECTION 10: Stability and reactivity

Reactivity

Reactivity None under normal use conditions.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

None

Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. Incompatible materials.

Incompatible materials

Incompatible materials Strong oxidising agents.

Hazardous decomposition products

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapours. Carbon oxides.

SECTION 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Corrosive to the eyes and

may cause severe damage including blindness. Causes serious eye damage. (based on

components). May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness.

Acute toxicity

Ingestion

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Tetrasodium EDTA	= 1658 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Classification based on data available for ingredients. Causes burns. Risk of serious Serious eye damage/eye irritation

damage to eyes.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

No information available. Reproductive toxicity

STOT - single exposure No information available. STOT - repeated exposure No information available. No information available.

SECTION 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Aquatic ecotoxicity

Aspiration hazard

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium metasilicate	-	LC50: =210mg/L (96h, Brachydanio	-
		rerio)	
Tetrasodium EDTA	EC50: =1.01mg/L (72h,	LC50: =41mg/L (96h, Lepomis	-
	Desmodesmus subspicatus)	macrochirus)	
		LC50: =59.8mg/L (96h, Pimephales	
		promelas)	

There is no data for this product. **Terrestrial ecotoxicty**

Persistence and degradability

No information available. Persistence and degradability

Bioaccumulative potential

Bioaccumulation No information available.

Mobility in soil

Mobility in soil No information available.

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of product in packaging in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste.

Revision Date: 10-Feb-2021

Contaminated packaging

For packages that have been in direct contact with hazardous substances, the person must ensure that the package is rendered incapable of containing any substance. It must be disposed of in a manner that is consistent with the requirements for disposal of the substance that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous substance (class 1, 2, 3, 4, or 5); or the contents of the residue in the package are below the threshold for the substance to be classified as hazardous (class 6, 8, or 9 substance).

SECTION 14: Transport information

Hazchem code 2X

IATA

UN number or ID number UN1760

UN proper shipping name Corrosive liquid, n.o.s.

Transport hazard class(es) 8
Packing group II
ERG Code 8L
Special Provisions A3, A803

Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate), 8, II

<u>IMDG</u>

UN number or ID number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S.

Transport hazard class(es) 8
Packing group II
EmS-No F-A, S-B
Special Provisions 274
Marine pollutant NP

Description UN1760, CORROSIVE LIQUID, N.O.S. (Sodium metasilicate), 8, II

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

New Zealand

Chemical name	New Zealand HSNO Chemical Classification
Sodium metasilicate - 6834-92-0	6.1D (All),6.1D (O),6.1E (I),8.1A,8.2C,8.3A,9.3C
	6.1E (AII),6.1E (I),8.2C,8.3A
	8.2C,8.3A
Tetrasodium EDTA - 64-02-8	6.1D (All),6.1D (O),6.4A,9.3C
	6.1E (AII),6.1E (O),6.4A

National regulations There are no applicable tolerable exposure limits or environmental exposure limits

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes for substances requiring a controlled substance license, including Class 1 explosives, vertebrate toxic agents (9.3A, B, C), and certain fumigants. Class 6.1A and 6.1B substances such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Revision Date: 10-Feb-2021

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain class 1 (explosive) and class 6 (vertebrate toxic agents or fumigants) substances. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

EPA New Zealand HSNO approval code or group standard

Not applicable

International Inventories

NZIoC Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS AICS** Contact supplier for inventory compliance status.

Legend:

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

SECTION 16: Other information

Issuing Date 10-Feb-2021

Revision Date 10-Feb-2021

Revision Note Initial Release.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet