

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 10-Feb-2021 Revision Date 10-Feb-2021 Revision Number 1

1. Identification

Product identifier

Product Name RECHARGER KIT; SQUEEZE OIL- BLACK

Other means of identification

Product Code(s) 99-5050BK – kit

UN/ID no UN1760

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Cleaning agent for car air filter

Restrictions on useNo information available.

Details of the supplier of the safety data sheet

<u>Supplier Address</u> K&N Engineering, Inc. 1455 Citrus Street

Riverside, CA 92507 +1 469-805-6936

Emergency telephone number

Emergency telephone CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skir

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal receptacle.

Other information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Sodium metasilicate	6834-92-0	1-6	-	-
Tetrasodium EDTA	64-02-8	0.5-3	-	-

4. First-aid measures

Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately. Do

not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial

respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to

Revision Date: 10-Feb-2021

fresh air.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical advice/attention.

Ingestion Get immediate medical advice/attention. Clean mouth with water and drink afterwards

plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Wear

personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media None known based on information supplied.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe

areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or

clothing. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

RECHARGER KIT; SQUEEZE OIL- BLACK

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. Handling and storage

Precautions for safe handling

Advice on safe handling In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only

in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using

Revision Date: 10-Feb-2021

this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Store away from other materials. Keep containers tightly closed in a

dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Face protection shield. Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protectionLong sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Should not be released into the environment.

General hygiene considerations Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Pink, Clear liquid

Physical state Liquid Color Pink

Odor Characteristic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH> 12None knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density 1.06 None known Water solubility Miscible in water None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available of information available.

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods. Incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking,

headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

Revision Date: 10-Feb-2021

Pulmonary edema can be fatal.

Eye contact Specific test data for the substance or mixture is not available. Corrosive to the eyes and

may cause severe damage including blindness. Causes serious eye damage. (based on

components). May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based on

components). Causes burns.

Ingestion Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Redness. Burning. May cause blindness.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate	= 1153 mg/kg (Rat)	-	•
Tetrasodium EDTA	= 1658 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metasilicate 6834-92-0	-	LC50: =210mg/L (96h, Brachydanio rerio)	-	-
Tetrasodium EDTA 64-02-8	EC50: =1.01mg/L (72h, Desmodesmus subspicatus)	LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas)	-	-

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility in soil No information available. Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Should not be released into the environment, Dispose of in accordance with local Waste from residues/unused products

regulations, Dispose of waste in accordance with environmental legislation.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

14. Transport information

DOT

UN/ID no UN1760

Proper shipping name CORROSIVE LIQUIDS, N.O.S.

Transport hazard class(es) Packing group

Special Provisions B2, IB2, TII, TP2, TP27

DOT Marine Pollutant NP

Description UN1760, CORROSIVE LIQUIDS, N.O.S. (Sodium metasilicate), 8, II

Emergency Response Guide 154

Number

TDG

UN/ID no UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S.

Transport hazard class(es) Packing group Ш **Special Provisions**

UN1760, CORROSIVE LIQUID, N.O.S. (Sodium metasilicate), 8, II Description

IATA

UN number or ID number UN1760

UN proper shipping name Corrosive liquid, n.o.s.

Transport hazard class(es) Packing group Ш **ERG Code** 8L

Special Provisions A3, A803

Description UN1760, Corrosive liquid, n.o.s. (Sodium metasilicate), 8, II

IMDG

UN number or ID number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S.

Transport hazard class(es) 8
Packing group II
EmS-No F-A, S-B
Special Provisions 274

Description UN1760, CORROSIVE LIQUID, N.O.S. (Sodium metasilicate), 8, II

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Marine pollutant

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

NP

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.

DSL/NDSL Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Pentasodium triphosphate 7758-29-4	-	X	Х
Propylene glycol 57-55-6	X	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards3Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 10-Feb-2021

Revision Date 10-Feb-2021

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet