

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 10-Feb-2021	Revision Date 02-Aug-2021	Revision Number 3
1. Identification		
Product identifier		
Product Name	POWER KLEEN; FILTER CLEANER; 12 OZ PUMP SPRAY	
Other means of identification		
Product Code(s)	99-0606 (individual); 99-5050BK (kit)	
UN/ID no	UN1719	
Synonyms	None	
Recommended use of the chemica	l and restrictions on use	
Recommended use	Cleaning agent for car air filter	
Restrictions on use	No information available.	
Details of the supplier of the safety	<u>/ data sheet</u>	
Supplier Address K&N Engineering, Inc. 1455 Citrus Street Riverside, CA 92507 +1 469-805-6936		
Emergency telephone number		
Emergency telephone	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)	

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Danger

Hazard statements

Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water and then shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. **Ingestion**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal receptacle.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Sodium metasilicate	6834-92-0	1-6	-	-
Tetrasodium EDTA	64-02-8	0.5-3	-	-

4. First-aid measures

Description of first aid measures

 General advice
 Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

 Inhalation
 If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial

	respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. Remove to fresh air.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Get immediate medical advice/attention. Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Wea personal protective clothing (see section 8).
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.
5. Fire-fighting measures	
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known based on information supplied.
Specific hazards arising from the chemical	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Carbon oxides.
Explosion data Sensitivity to mechanical impace Sensitivity to static discharge	ct None. None.
conclutivy to claire alconal go	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Attention! Corrosive material. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	nt and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.	
7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, includi	ng any incompatibilities	
Storage Conditions	Protect from moisture. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.	
8. Exposure controls/perso	onal protection	
Control parameters_		
Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.	
Appropriate engineering controls	Chause	
Engineering controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, suc	ch as personal protective equipment	
Eye/face protection	Face protection shield. Tight sealing safety goggles.	
Hand protection	Impervious gloves. Wear suitable gloves.	
Skin and body protection	Long sleeved clothing. Chemical resistant apron. Wear suitable protective clothing.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
General hygiene considerations	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.	
9. Physical and chemical p	roperties	

Information on basic physical and chemical properties

Appearance	Pink, Clear liquid
Physical state	Liquid
Color	Pink
Odor	Characteristic
Odor threshold	No information available

Values	Remarks • Method
> 12	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
1.06	No data available
Miscible in water	No data available
No information available.	
No information available.	
No information available	
	 1.06 Miscible in water No information available. No information available. No information available. No information available No information available No information available No information available

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Exposure to air or moisture over prolonged periods. Incompatible materials.
Incompatible materials	Strong oxidizing agents.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Corrosive to the eyes and

	may cause severe damage including blindness. Causes serious eye damage. (based on components). May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Coughing and/ or wheezing. Redness. Burning. May cause blindness.
Acute toxicity	

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Tetrasodium EDTA	= 1658 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes burns.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium metasilicate	-	LC50: =210mg/L (96h,	-	-
6834-92-0		Brachydanio rerio)		
Tetrasodium EDTA	EC50: =1.01mg/L (72h,	LC50: =41mg/L (96h,	-	-

64-02-8	Desmodesmus subspicatus)Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas)		
Persistence and degradability	No information available.		
Bioaccumulation	No information available.		
Mobility in soil	No information available.		
Other adverse effects	No information available.		
13. Disposal considerat	ions		
Waste treatment methods			
Waste from residues/unused products	Should not be released into the environment, Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Dispose of contents/containers in accordance with local regulations.		
14. Transport information	on		
DOT UN/ID no Proper shipping name Transport hazard class(es) Packing group Special Provisions DOT Marine Pollutant Description Emergency Response Guide Number	UN1719 CAUSTIC ALKALI LIQUIDS, N.O.S. 8 III IB3, T7, TP1, TP28 NP UN1719, CAUSTIC ALKALI LIQUIDS, N.O.S. (Sodium metasilicate), 8, III e 154		
TDG UN/ID no Proper shipping name Transport hazard class(es) Packing group Special Provisions Description	UN1719 CAUSTIC ALKALI LIQUID, N.O.S. 8 III 16 UN1719, Caustic alkali liquid, n.o.s. (Sodium metasilicate), 8, III		
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group ERG Code Special Provisions Description	UN1719 Caustic alkali liquid, n.o.s. 8 III 8L A3, A803 UN1719, Caustic alkali liquid, n.o.s. (Sodium metasilicate), 8, III		
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions	UN1719 CAUSTIC ALKALI LIQUID, N.O.S. 8 III F-A, S-B 223, 274		

Marine pollutant Description NP UN1719, CAUSTIC ALKALI LIQUID, N.O.S. (Sodium metasilicate), 8, III

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Pentasodium triphosphate 7758-29-4	-	Х	Х
Propylene glycol 57-55-6	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS	Health hazards 3 Health hazards 3	Flammability 0 Flammability 0	Instability Physical h		Special hazards $\ \ -$ Personal protection $\ \ X$
Key or legend to ab	bbreviations and acronyms u	sed in the safety c	ata sheet		
Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Ceiling Maximum limit value * Still (Short Term Exposure Limit) Start Structore Structore Structore U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Structore Structore Stode Research Journal Protection					
World Health Organi:	zation 10-Feb-202	1			
Revision Date	02-Aug-202	-			

Revision Note SDS sections updated: 2, 12, 14.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date	15-Apr-2021	Revision Date 15-Apr-2021	Revision Number 1
1. Identific	cation		
Product ident	lifier_		
Product Name	e	FILTER OIL; BLACK, 8 OZ SQUEEZE BOTTLE	
Other means	of identification		
Product Code	e(s)	99-0533BK	
Synonyms		None	
Recommende	ed use of the chemical	and restrictions on use	
Recommende	ed use	Air filter moisturization	
Restrictions of	on use	No information available.	
Details of the supplier of the safety data sheet			
Supplier Add K&N Engineer 1455 Citrus St Riverside, CA +1 469-805-69	ing, Inc. reet 92507		
Emergency te	elephone number		
Emergency te	elephone	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)	

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

Hazard statements Not classified.

Other information

May be harmful if swallowed. May be harmful in contact with skin.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	99.245	-	-

4. First-aid measures	
Description of first aid measures	
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.
Ingestion	If large quantities of this material are swallowed, call a physician immediately.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	None known.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically.
5. Fire-fighting measures	
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Water spray jet.
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors.
Hazardous combustion products	Oxides of sulfur. Aldehydes. Ketones and their derivatives. Carbon monoxide. Organic compounds.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Extremely slippery when spilled. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Deny entry to unauthorized and unprotected personnel.
Methods and material for conta	ainment and cleaning up
Methods for containment	Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take up with sand or other noncombustible absorbent material and place into containers for later disposal.
7. Handling and storage	e

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Goggles.
Hand protection	Impervious gloves. Protective gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

9. Physical and chemical properties

Information on basic physical and of Appearance Physical state Color Odor Odor threshold	<u>hemical properties</u> Oily liquid Liquid Black Petroleum No information available	
<u>Property</u> pH Melting point / freezing point Initial boiling point and boiling range	<u>Values</u> > 260 °C / > 500 °F	Remarks • Method No data available No data available
Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive limits	> 232 °C / > 449.6 °F	No data available No data available No data available
Lower flammability or explosive limits Vapor pressure Vapor density Relative density Water solubility	0.86 Insoluble	No data available No data available No data available
Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity		No data available No data available No data available No data available No data available No data available
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC Content (%) Liquid Density Bulk density	No information available. No information available. No information available No information available No information available No information available No information available	
10. Stability and reactivity		

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Specific test data for the substance or mixture is not available.

Eye contact	Specific test data for the substance or mixture is not available. Contact with eyes may cause irritation.			
Skin contact	Specific test data for the substance or mixture is not available. May be harmful in contact with skin.			
Ingestion	Specific test data for the substance or mixture is not available. May be harmful if swallowed.			
Symptoms related to the physical, chemical and toxicological characteristics				

Symptoms None known.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Lubricating oils, petroleum, hydrotreated spent	> 2000 mg/kg (Rat)	> 4480 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
12. Ecological information	
12. Ecological information Ecotoxicity	The environmental impact of this product has not been fully investigated.
Ecotoxicity	The environmental impact of this product has not been fully investigated.
Ecotoxicity Persistence and degradability	The environmental impact of this product has not been fully investigated. No information available.
Ecotoxicity Persistence and degradability Bioaccumulation	The environmental impact of this product has not been fully investigated. No information available. No information available.

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
14. Transport information	

Wasto	from	rocidu	ine/i	ini	60

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light naphthenic	-	X	-
64742-53-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA HMIS	Health hazard Health hazard		Flammability Flammability		Instability 0 Physical hazards	0	Special hazards - Personal protection X
Key or legend to abbreviations and acronyms used in the safety data sheet							
TWA Ceiling Key literature ref	B: EXPOSURE CONTR TWA (time-weighted Maximum limit value ferences and sources	average) f or data	sed to compile	STEL	STEL (Shor Skin design		n Exposure Limit)
European Food S EPA (Environmen Acute Exposure G U.S. Environment U.S. Environment Food Research Jo Hazardous Substa International Unifo Japan GHS Class Australia National NIOSH (National I National Library of National Toxicolog New Zealand's Ch Organization for E	ance Database orm Chemical Information ification Industrial Chemicals N Institute for Occupation f Medicine's ChemID Pl gy Program (NTP) nemical Classification a conomic Co-operation conomic Co-operation conomic Co-operation	L(s)) ederal Ins gh Produ on Databa otificatior al Safety us (NLM and Inform and Deve and Deve	secticide, Fungici action Volume Ch ase (IUCLID) an and Assessmer and Health) CIP) nation Database (elopment Enviror elopment High Pr	nemicals nt Scheme (CCID) ment, Hea roduction V	(NICNAS) Ith, and Safety Publ /olume Chemicals P		
Issuing Date Revision Date		5-Apr-202 5-Apr-202					

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet