SPECTRE ACCUCHARGE KIT CLEAR

DUOprime Oil 70

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 11/08/2016 Revision date: 12/04/2019 Version: 2.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixture
Product name	: DUOprime Oil 70
Product code	: HPR4820
Product group	: Trade product
1.2. Recommended use and restriction	
Recommended use	: Industrial use
1.3. Supplier	
K&N Engineering, Inc.	
P.O. Box 1329	
92502-1329 Riverside, CA - USA	
T (800) 858-3333 - F (951) 826-4001	
1.4. Emergency telephone number	
Emergency number	: Chemtrec (800) 424-9300 / +1 (703) 527-3887 (CCN 632715)
SECTION 2: Hazard identification 2.1. Classification of the substance or	
	Inixture
Classification (GHS-CA)	
Aspiration hazard, Category 1 H304	
Full text of H statements : see section 16	
2.2. GHS Label elements, including pre	acautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
	GHS08
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	: H304 - May be fatal if swallowed and enters airways
Precautionary statements (GHS-CA)	: P301+P310 - IF SWALLOWED: Immediately call a doctor
	P331 - Do NOT induce vomiting
	P405 - Store locked up
	P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
Other hazards not contributing to the classification	: None.
2.4. Unknown acute toxicity (GHS-CA)	
No data available	
SECTION 3: Composition/informati	on on ingredients
3.1. Substances	
Not applicable	
3.2. Mixtures	
Name Chemical	name / Synonyms Product identifier % Classification (GHS-CA)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
White Mineral Oi	Mineral Oil USP	(CAS No) 8042-47-5	< 100	Not Classified

Full text of hazard classes and H-statements : see section 16

SPECTRE ACCUCHARGE KIT DUOprime Oil 70

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do not induce vomiting. Call a physician immediately.
First-aid measures general	: Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible). Concerning personal protective equipment to use, see section 8.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after ingestion	: Risk of lung oedema.
Chronic symptoms	: None known.
4.3. Immediate medical attention and	special treatment, if necessary
Other medical advice or treatment	: Not applicable.

SECT	ION 5: Fire-fighting measures	5
5.1.	Suitable extinguishing media	
Suitab	le extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Unsuitable extinguishing media	
Unsui	table extinguishing media	: Do not use a heavy water stream.
5.3.	Specific hazards arising from the	hazardous product
No add	itional information available	

5.4. Special protective equipment and	precautions for fire-fighters
Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release meas	sures			
6.1. Personal precautions, protective eq	6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Avoid contact with skin and eyes.			
Personal Precautions, Protective Equipment and Emergency Procedures	: Do not attempt to take action without suitable protective equipment. Evacuate unnecessary personnel. Stop leak if safe to do so.			
6.2. Methods and materials for containm	ent and cleaning up			
For containment	: Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or public waters.			
Methods for cleaning up	: In case of large spillages: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Shovel or sweep up and put in a closed container for disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Notify authorities if product enters sewers or public waters.			
Other information	: Dispose of materials or solid residues at an authorized site.			
6.3. Reference to other sections				

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling ar	nd storage
7.1. Precautions for safe	handling
Precautions for safe handling	 Ensure good ventilation of the work station. Wear personal protective equipment. Take all necessary technical measures to avoid or minimize the release of the product on the workplace.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe s	storage, including any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Oxidizing agent.

SPECTRE ACCUCHARGE KIT DUOprime Oil 70 Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)				
SECTION 8: Exposure controls/perso	onal protection			
8.1. Control parameters				
No additional information available				
8.2. Appropriate engineering controls				
Appropriate engineering controls	: Ensure good ventilation of the work station.			
8.3. Individual protection measures/Pers	onal protective equipment			
Hand protection	: Protective gloves.			
Eye protection	: Safety glasses.			
Skin and body protection	: Wear suitable protective clothing.			
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazard protection	: Not available.			
Environmental exposure controls	: Avoid release to the environment.			
SECTION 9: Physical and chemical p	roperties			
9.1. Information on basic physical and cl	nemical properties			
Physical state	: Liquid			
Appearance	: Liquid.			
Colour	: Colourless			
Odour	: characteristic			
Odour threshold	: No data available			
рН	: No data available			
pH solution	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Relative evaporation rate (ether=1)	: No data available			
Melting point	: Not applicable			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: 166 °C (331 F)			
Auto-ignition temperature	: 400 °C (752 F)			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: Not applicable			
Vapour pressure	: < 0.1 mm Hg			
Vapour pressure at 50 °C	: No data available			
Relative vapour density at 20 °C	: >1			
Relative density	: 0.84			
Relative density of saturated gas/air mixture	: No data available			
Density	: No data available			
Relative gas density	: No data available			
Solubility	: No data available			
Log Pow	: No data available			
Log Kow	: No data available			
Viscosity, kinematic	: 13 cSt			
Explosive properties	: No data available			
Oxidising properties	: No data available			
Explosive limits	: No data available			
9.2. Other information				
No additional information available				

No additional information available

SECTION 10: Stability and reactivit	У
10.1. Reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong oxidizing agents.

SPECTRE ACCUCHARGE KIT DUOprime Oil 70

Safety Data Sheet

Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO2).
SECTION 11: Toxicological information	on
Likely routes of exposure	: Oral. Dermal.
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
DUOprime Oil 70	
Viscosity, kinematic (calculated value) (40 °C)	13 mm ² /s

SECTION 12: Ecological informatio	n		
12.1. Toxicity			
Ecology - general	: The product is not consider effects in the environment.	ed harmful to aquatic organisms nor to cause lon	g-term adverse
12.2. Persistence and degradability			
DUOprime Oil 70			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
DUOprime Oil 70			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
DUOprime Oil 70			
Ecology - soil	Not established.		
12.5. Other adverse effects Effect on the global warming GWPmix comment	: Not established. : No known effects from this	product.	
SECTION 13: Disposal consideration	ons		
13.1. Disposal methods			
Waste treatment methods	: Dispose of contents/contain	er in accordance with licensed collector's sorting	instructions.
Sewage disposal recommendations	: Do not allow into drains or	vater courses.	
Waste disposal recommendations	: Dispose in a safe manner i	accordance with local/national regulations.	
SECTION 14: Transport information	1		
14.1. Basic shipping description			
In accordance with TDG			
TDG			
Not regulated for transport			
29/11/2016	EN (English)	SDS ID: 2450	4/13

SPECTRE ACCUCHARGE KIT DUOprime Oil 70

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

14.2. Transport information/DC	т
DOT	
Not regulated for transport	
14.3. Air and sea transport	
IMDG	
Class (IMDG)	: Not regulated for transport
ΙΑΤΑ	
Class (IATA)	: Not regulated for transport
SECTION 15: Regulatory in	formation
15.1. National regulations	
White mineral oil, petroleum (80 Listed on the Canadian DSL (Don	
× ×	
15.2. International regulations	
White mineral oil, petroleum (80	*
Listed on the EEC inventory EINE Listed on the Korean ECL (Existin Listed on NZIoC (New Zealand In Listed on PICCS (Philippines Inve Listed on the United States TSCA	isting Chemical Substances Produced or Imported in China) ECS (European Inventory of Existing Commercial Chemical Substances) ng Chemicals List) ventory of Chemicals) entory of Chemicals and Chemical Substances) ((Toxic Substances Control Act) inventory I Inventory of Chemical Substances)
SECTION 16: Other informa	tion
Date of issue	: 08/11/2016
Full text of H-statements:	
H304	May be fatal if swallowed and enters airways

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 11/08/2016 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixture
Product name	: Air Filter Cleaner K&N
Product code	: HPR4820
Product group	: Trade product
1.2. Recommended use and restriction	ns on use
Recommended use	: Industrial use
1.3. Supplier	
K&N Engineering, Inc.	
P.O. Box 1329	
92502-1329 Riverside, CA - USA	
T (800) 858-3333 - F (951) 826-4001	
1.4. Emergency telephone number	
Emergency number	: Chemtrec (800) 424-9300 / +1 (703) 527-3887 (CCN 632715)
SECTION 2: Hazard identification	
2.1. Classification of the substance or	mixture
Classification (GHS-CA)	
Acute toxicity (dermal), Category 3	H311
Skin corrosion/irritation, Category 1B Serious eye damage/eye irritation, Category	H314 1 H318
Full text of H statements : see section 16	
2.2. GHS Label elements, including pr	ecautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	GHS05 GHS06 : Danger
,	
Hazard statements (GHS-CA)	: H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage
Precautionary statements (GHS-CA)	: P260 - Do not breathe dust/fume/gas/mist/vapours/spray
	P264 - Wash hands, forearms and face thoroughly after handling
	P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P302+P352 - IF ON SKIN: Wash with plenty of water
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor
	P312 - Call a POISON CENTER or doctor if you feel unwell
	P321 - Specific treatment (see supplemental first aid instruction on this label) P361+P364 - Take off immediately all contaminated clothing and wash it before reuse
	P363 - Wash contaminated clothing before reuse
	P405 - Store locked up
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
00//0/00/0	
02/12/2016	EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.3. Other hazards

Other hazards not contributing to the : None. classification

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
2-Butoxyethanol	2-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy- / Ethylene glycol monobutyl ether / Ethylene glycol n- butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2- Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n- Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl cellosolve / Butyl Cellosolve	(CAS No) 111-76-2	< 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315
Sodium metasilicate	Disodium metasilicate / Silicate, disodium / Silicic acid (H2SiO3), disodium salt / Sodium metasilicate, anhydrous / Silicic acid, disodium salt / Disodium metasilicate (Na2SiO3) / Disodium trioxosilicate / Silicic acid (H2SiO3), sodium salt (1:2) / SODIUM METASILICATE / Silicic acid, sodium salt (1:2) / Sodium silicate	(CAS No) 6834-92-0	< 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a physician immediately.
First-aid measures general	: Call a poison center or a doctor if you feel unwell. Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible). Concerning personal protective equipment to use, see section 8.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Serious damage to eyes.
Symptoms/injuries after ingestion	: Burns.
Chronic symptoms	: None known.
4.3. Immediate medical attention and spec	cial treatment, if necessary
Other medical advice or treatment	: Not applicable.

SECT	ION 5: Fire-fighting measures			
5.1.	Suitable extinguishing media			
Suitab	le extinguishing media	: Water spray. Dry powder. Foam. C	arbon dioxide.	
5.2.	Unsuitable extinguishing media			
Unsui	table extinguishing media	: Do not use water spray.		
5.3.	Specific hazards arising from the ha	zardous product		
No add	itional information available			
5.4.	Special protective equipment and pr	recautions for fire-fighters		
Firefig	hting instructions	: Exercise caution when fighting any	chemical fire.	
02/12/2	2016	EN (English)	SDS ID: 2451	7/13

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Avoid contact with skin and eyes.
Personal Precautions, Protective Equipment and Emergency Procedures	: Do not attempt to take action without suitable protective equipment. Stop leak if safe to do so. Evacuate unnecessary personnel. For further information refer to section 8: "Exposure controls/personal protection". Do not breathe gas/fumes/vapour/spray.
6.2. Methods and materials for containm	ient and cleaning up
For containment	: Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or public waters.
Methods for cleaning up	: In case of large spillages: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Shovel or sweep up and put in a closed container for disposal. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
C.2. Deference to other continue	

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Do not breathe vapours. Take all necessary technical measures to avoid or minimize the release of the product on the workplace.
Hygiene measures	: Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Butoxyethanol (111-76-2)			
Canada (Quebec)	VEMP (mg/m ³)	97 mg/m³	
Canada (Quebec)	VEMP (ppm)	20 ppm	
Alberta	OEL TWA (mg/m ³)	97 mg/m³	
Alberta	OEL TWA (ppm)	20 ppm	
British Columbia	OEL TWA (ppm)	20 ppm	
Manitoba	OEL TWA (ppm)	20 ppm	
New Brunswick	OEL TWA (mg/m³)	121 mg/m³	
New Brunswick	OEL TWA (ppm)	25 ppm	
New Foundland & Labrador	OEL TWA (ppm)	20 ppm	
Nova Scotia	OEL TWA (ppm)	20 ppm	
Nunavut	OEL STEL (mg/m ³)	360 mg/m ³	
Nunavut	OEL STEL (ppm)	75 ppm	
Nunavut	OEL TWA (mg/m³)	120 mg/m ³	
Nunavut	OEL TWA (ppm)	25 ppm	
Northwest Territories	OEL STEL (ppm)	30 ppm	
Northwest Territories	OEL TWA (ppm)	20 ppm	
Ontario	OEL TWA (ppm)	20 ppm	
Prince Edward Island	OEL TWA (ppm)	20 ppm	
Québec	VEMP (mg/m ³)	97 mg/m³	
Québec	VEMP (ppm)	20 ppm	
2/12/2016	EN (English)	SDS ID: 2451	8/13

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2-Butoxyethanol (111-76-2)			
Saskatchewan	OEL STEL (ppm)	30 ppm	
Saskatchewan	OEL TWA (ppm)	20 ppm	
Yukon	OEL STEL (mg/m ³)	720 mg/m ³	
Yukon OEL STEL (ppm) 150 ppm			
Yukon	OEL TWA (mg/m ³)	240 mg/m ³	
Yukon	OEL TWA (ppm)	50 ppm	
2 Appropriate engineering controls			

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
8.3. Individual protection measures/Pers	onal protective equipment
Hand protection	: Chemically resistant protective gloves.
Eye protection	: Chemical goggles or safety glasses. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazard protection	: Not available.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1.	Information on	basic	physical and	l chemical	properties

9.1. Information on basic physical and c	inemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: pink
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.02 - 1.05
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: Soluble.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

9.2. Other information

No additional information available

Safety Data Sheet

SECTION 10: Stability and reactiv	ity
10.1. Reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong oxidizing agents. Strong acids. Strong bases.
Hazardous decomposition products	 Under normal conditions of storage and use, hazardous decomposition products should not be produced. On combustion, forms: carbon oxides (CO and CO2).

SECTION 11: Toxicological information		
Likely routes of exposure	Oral. Dermal.	
11.1. Information on toxicological effects		
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Dermal: Toxic in contact with skin.	
Acute toxicity (inhalation)	Not classified	
ATE CA (dermal)	990.0000000 mg/kg bodyweight	

2-Butoxyethanol (111-76-2)	
LD50 oral rat	470 mg/kg
LD50 dermal rabbit	99 mg/kg
LC50 inhalation rat (ppm)	450 ppm/4h
Sodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general :	Before neutralisation, the product may represent a danger to aquatic organisms.	
2-Butoxyethanol (111-76-2)		
LC50 fish 1	1490 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 fish 2	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Sodium metasilicate (6834-92-0)		
LC50 fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
12.2. Persistence and degradability		
Air Filter Cleaner K&N		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Air Filter Cleaner K&N		
Bioaccumulative potential	Not established.	
02/12/2016	EN (English) SDS ID: 2451 10/13	

Safety Data Sheet

2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)
12.4. Mobility in soil	
Air Filter Cleaner K&N	
Ecology - soil	Not established.
2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)
12.5. Other adverse effects	
Effect on the global warming	: Not established.
GWPmix comment	: No known effects from this product.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Do not allow into drains or water courses.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
14.1. Basic shipping description In accordance with TDG In accordance with TDG	
TDG	
UN-No. (TDG)	: UN1760
Packing group	: III - Minor Danger
TDG Primary Hazard Classes	: 8 - Class 8 - Corrosives
Transport document description	: UN1760 CORROSIVE LIQUID, N.O.S. (sodium metasilicate), 8, III
Proper Shipping Name (TDG)	: CORROSIVE LIQUID, N.O.S.
	sodium metasilicate
Hazard labels (TDG)	: 8 - Corrosive substances
TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that
	predominantly contributes to the hazard or hazards posed by the dangerous goods must be
	shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown,
	in parentheses, on a small means of containment or on a tag following the shipping name in
	accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2)
	Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for
	domestic transport or an international convention for international transport prohibits the
	disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or
	ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140,
	ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An
	example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name
	for the following dangerous goods is not required to be shown on a small means of
	containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306
Explosive Limit and Limited Quantity Index	: 5 L
Excepted quantities (TDG)	: E1
Passenger Carrying Road Vehicle or Passenger	
Carrying Railway Vehicle Index	
14.2. Transport information/DOT	
DOT	

Safety Data Sheet

DOT NA no.	: UN1760
UN-No.(DOT)	: 1760
Packing group (DOT) DOT Symbols	: III - Minor Danger : G - Identifies PSN requiring a technical name
DOT Symbols	
Transport document description	: UN1760 Corrosive liquids, n.o.s. (Sodium Metasilicate), 8, III
Proper Shipping Name (DOT)	: Corrosive liquids, n.o.s.
	Sodium Metasilicate
Contains Statement Field Selection (DOT)	:
Class (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Division (DOT)	: 8
Hazard labels (DOT)	: 8 - Corrosive
	8
Dangerous for the environment	: No
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672) T7 - 4 178.274(d)(2) Normal
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous
	material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail	: 241
(49 CFR 173.27)	. 31
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT Vassal Stawage Other	passenger vessel
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Emergency Response Guide (ERG) Number	: 154
Other information	: No supplementary information available.
14.3. Air and sea transport	
IMDG	
	4700
UN-No. (IMDG)	
Proper Shipping Name (IMDG) Class (IMDG)	: CORROSIVE LIQUID, N.O.S. : 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
	: 1760
UN-No. (IATA)	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Proper Shipping Name (IATA)	: Corrosive liquid, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. National regulations

2-Butoxyethanol (111-76-2)

Listed on the Canadian DSL (Domestic Substances List) Sodium metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

2-Butoxyethanol (111-76-2)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on CICR (Turkish Inventory and Control of Chemicals) Sodium metasilicate (6834-92-0) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

SECTION 16: Other information

Date of issue

: 08/11/2016

Full text of H-statements:

I LEA	text of restatements.		
	H227	Combustible liquid	
	H302	Harmful if swallowed	
	H311	Toxic in contact with skin	
	H312	Harmful in contact with skin	
	H314	Causes severe skin burns and eye damage	
	H315	Causes skin irritation	
	H318	Causes serious eye damage	
	H332	Harmful if inhaled	
	H335	May cause respiratory irritation	

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product